Page 1of 28

1

- Check all punctuation to make sure it is correct; 2
- look for all appendices that do not belong in the rule; 3
- look at all catchlines (verbage following the 01., 02., etc. 4
- subsection levels) to make sure that they are correct; and 5
- look for any alpha numerics that are not correct. 6
- 7 Look for all appendices that do not belong in the rule!
- 8 **NEED to ADD or REVISE:**

9 10

- TITLE AND SCOPE (RULE 1).
- 11 002. WRITTEN INTERPRETATION (RULE 2).
- 12 003. ADMINISTRATIVE APPEALS (RULE 3). 13
  - 004. INCORPORATION BY REFERENCE (RULE 4).

14

15

16

17

18

19

20

21

22 23 24

25

26 27

28 29 30

44 45 46

**IDAPA 37** TITLE 03 **CHAPTER 09** 

### 37.03.09 - WELL CONSTRUCTION STANDARDS RULES

## LEGAL AUTHORITY (RULE 0).

The Idaho Water Resource Board adopts these Well Construction #Rules pursuant to under-the authority provided by Section 42-238(4), Idaho Code.

#### 001. TITLE AND SCOPE (RULE 1).

- Title. These rules shall be cited as title of this chapter is IDAPA 37.03.09, "Well Construction Standards Rules."
- 02. Scope. The Idaho Department of Water Resources is responsible for the statewide administration of the rules governing Well Construction. Under Section 42-238, Idaho Code, The Department of Water Resources has statutory responsibility for administering the appropriation and allotment of the ground water resources of the state and The rules establish minimum standards for the construction of new wells, the construction of lowtemperature geothermal resource wells, and the modification and abandonment of existing wells. The intent of the rules is to protect the ground water resources of the state against waste and contamination. The 1987 Idaho Legislature enacted amendments to the existing statutes which that requires amendment of the construction standards. These rules are applicable to all water wells, monitoring wells, low temperature geothermal wells, injection wells and other artificial (man-made) openings, excavations, or improvements in the ground which that are more than eighteen (18) feet in vertical depth below land surface as described in these rules. The intented of these rules shall be observed for any hole constructedion, modifiedeation, or improvedment which does not otherwise meet the definition of a well that could promote waste and contamination of the ground water resources of the state. If waste or contamination can be attributed to this type of hole, the hole shall be repaired or decommissioned as required by the Director. ()

#### 002. WRITTEN INTERPRETATION (RULE 2).

Page 2of 28

In accordance with Section 67-5201(19)(b)(iv), Idaho Code, the Idaho Department of Water Resources does not have written statements that pertain to the interpretation of the rules of this chapter, or to the documentation of compliance with the rules of this chapter.

#### 003. ADMINISTRATIVE APPEALS (RULE 3).

<u>Persons may be entitled to appeal agency actions authorized under these rules pursuant to 42-1701A, Idaho Code, and IDAPA 37.01.01, "Rules of Procedure of the Idaho Department of Water Resources".</u>

#### 004. INCORPORATION BY REFERENCE (RULE 4).

#### 005. OFFICE ---OFFICE HOURS -- MAILING ADDRESS AND STREET ADDRESS (RULE 5).

**01. Office Hours**. Office hours are 8 a.m. to 5 p.m., <u>local time</u>, Monday through Friday, except holidays designated by the <u>sS</u>tate of Idaho.

## **Mailing Address**. The mailing address for the state office is -Idaho Department of Water Resources,

-P.0. Box 83720,

-Boise, Idaho 83720-0098-

()

**03. Street Address**. The street addresses for the state office of the Department of Water Resources, the regional offices in Idaho Falls, Coeur d'Alene, Twin Falls, and Boise, and the satellite offices in Salmon, and Soda Springs, and Lewiston may be obtained by calling the state office at (208) 327-7900287-4800, or by visiting the Department's website at http://www.idwr.state.id.usidaho.gov.

#### 006. PUBLIC RECORDS ACT COMPLIANCE (RULE 6).

Records maintained by the Department of Water Resources are subject to the provisions of the Idaho Public Records Act, Title 3, Chapter 3, Idaho Code.

### 007. OTHER AUTHORITIES REMAIN APPLICABLE (RULE 7).

Nothing in these rules shall limit the Director's authority to take additional or alternative actions in order to ensure compliance consistent with the intent of these rules as provided by Idaho law.

00<u>8</u>**7**. -- 009. (RESERVED).

#### 010. DEFINITIONS (RULE 10).

Unless the context otherwise requires, the following definitions govern these rules:

()

- **O1. Abandoned Well\_(also Decommissioned Well)**. Any well which has been permanently removed from service by filling and/or plugging in accordance with these rules so that it is rendered unproductive, does not allow the transfer of fluids, and will not serve as a conduit for prevent waste and contamination of the ground water resources.— ()
- **O2. Abandonment:** (Aalso\_known as dDecommissioning). The act of filling or plugging of a well so that the well will not: 4a) produce or accept fluidswater, 2b) serve as a conduit for the movement of contaminantspollution, 3c) allow the movement of ground water between aquifers, and or 4d) allow the upward or downward movement of water within the annular space or into the an aquifer. ()
- O3. Annular Seal. Cement grout or bentonite—Approved seal material installed in a manner that completely fills the annular space between the borehole and permanent casing or between separate casing strings to act as an impermeable barrier to the vertical movement of fluids. In some cases, an annular seal may extend upward along the outside of the permanent casing and become continuous with and part of the surface seal. Annular seals create an impermeable barrier between the land surface and subsurface intervals, or between distinct subsurface intervals, and are critical to the prevention of waste and contamination of the ground water resources.

## Working DRAFT for <u>December 1, 2006</u> Nov 3-Meeting Page 3 of 28

103 104	<b>043. Annular Space</b> . The space between two (2) concentric cylindrical objects, one (1) of which surrounds the other, such as the space between the walls of a drilled hole (well bore) and a casing or the space
105 106	between <u>separate casing strings</u> a temporary surface casing and a permanent casing. ()
107 108 109	<b>054.</b> Aquifer. Any <u>subsurface</u> geologic <u>formation_interval</u> , <u>or hydraulically connected intervals</u> , <u>that</u> <u>will yield capable of storing and transmitting</u> water to a well in sufficient quantities to make the production of water from <u>such interval(s)the formation</u> feasible for beneficial use. <u>The term does not include confining layers</u> , (low
110 111	permeability intervals separating aquifers). ()
112 113	<b>065. Area of Drilling Concern</b> . An area designated by the Director in accordance with Section 42-238(15), Idaho Code. ()
114 115 116 117 118	<b>076.</b> Artesian Ground Water. Any water that is confined within an aquifer confined by low permeability intervals and under pressure so that the water will rise within the well easing or drilled hole above the elevation top of aquifer where it was first encountered. Artesian ground water includes water that rises to and flows naturally at the land surface of flowing wells and water under pressure in wells that do not flow. ()
119	inaturarry at the rand surface of flowing wens and water tinder pressure in wens that do not flow.
120 121 122 123	<b>087.</b> Artificial Filter Pack (also know as artificial fFilter pPack). Clean, well-rounded, smooth, uniform, graded sand or gravel insert used for placedment in the annular space between the borehole wall and perforated well casing or well screen. A filter pack is used to prevent the movement of fine sand and sediment into the well easing and to enhance the ability of the well to yield water.
124	
125 126 127	Bentonite. A sodium montmorillonite clay approved by the NSF for well sealing, plugging, or abandonment.
128	a) Bentonite Chips. Bentonite that is composed of pieces greater than 3/8 inch on their greatest
129 130	dimension.
131	b) Bentonite Granules (also known as granulated bentonite). Bentonite that is composed of
132 133	pieces less than 3/8 inch on their greatest dimension.
134 135 136 137 138	c) <b>Bentonite Grout</b> . A mixture of bentonite and clean water with a solids contend not less than 30% by weight (30% solids content by weight = 50 pounds bentonite per 14 gallons of water). The bentonite used shall be specifically designed by the manufacturer for use as a well or casing sealing material and be approved by National Sanitation Foundation for use in water well construction. All bentonite grout shall be pumped in place from the bottom upward via tremie pipe or other method of positive displacement approved by the Director.
139 140 141 142	d) Bentonite Pellets. Bentonite that has been manufactured for a specific purpose. May be compressed, coated, and of various size.
143 144 145 146 147	<b>098. Bentonite</b> . <u>Low permeability</u> sodium montmorillonite clay approved by the National Sanitation Foundation (NSF) for use in well construction, well-sealing, plugging, or abandonment. (Alternate: A manufactured aluminum silicate clay that contains at least 85% of the mineral montmorillonite, meets API specification 13A, and is NSF-approved for use in well construction, sealing, plugging, or abandonment.)
148 149 150 151	a) <b>Bentonite Chips.</b> Bentonite that is composed of pieces fromgreater than 3/8-inch to 1 inch on their greatest dimension, and containing less than 2% by weight fines or powder. ()
152 153 154 155	b) <b>Bentonite Granules (also known as gGranulated bBentonite).</b> Bentonite that is composed of pieces less than 3/8-inch on their greatest dimension but retained on a #8 mesh sieve, and containing less than 2% by weight fines or powder.
156 157 158	c) <b>Bentonite Grout</b> . A mixture of bentonite and elean waterpotable water to produce a slurry with a solids contented not less than 2530% by weight (2530% solids content by weight = 50 pounds bentonite per 184 gallons of water). The bentonite used shall be specifically designed by

		the manufacturer for use as a well or casing sealing material and be approved by National Sanitation Foundation for use in water well construction. All bentonite grout shall be pumped in place from the bottom upward via tremie pipe or other method of positive displacement approve by the Director.
		d) <b>Bentonite Pellets.</b> Bentonite that has been manufactured for a specific purpose in the form compressed and/or coated pellets. May be compressed, coated, and of various size.
	<u>1</u> 09.	Board. The Idaho Water Resource Board.
<del>reamer</del> .	1 <u>1</u> 0.	<b>Bore Diameter</b> . The diameter of the hole in the formation made by the well drilling process bit o
	<u>12.</u> XX	_Borehole (also know as wWell bB ore). The hole caused by the well drilling process
water e	1 <u>3</u> 4.	<b>Bottom Hole Temperature of an Existing or Proposed Well</b> . The temperature of the ground ed in the bottom of a well.
equipm	ent, c) pi	Casing. (Also know as permanent or required casing). A conduit of pipe, generally of steel, used caving and/or collapse of the well bore, b) serve as access and protective housing for pumping rovide a vertical pathway for the upward flow of water, d) serve as a solid inner barrier to allow for an annular seal, and e) serve in conjunction with annular seals as a means to prevent waste and
contami water a well-sci	ination. <del>n</del> s require reens <u>, pe</u>	naintain the well opening and to contribute to prevention of waste and contamination of the ground by these standards, or as otherwise used in the construction of a well. Casing It does not include reforated sections, or liners used in the construction of a the well. Use of any material other that proval in advance from the Director.
-		Cathodic Protection Well. Any artificial excavation in excess of eighteen (18) feet in vertical ed for the purpose of protecting certain metallic equipment in contact with the ground. Commonly thodic protection.
	XX Ce	ement.
water u The gro through	Types I, sed, incl out shall I H, as fo	Cement Grout (also known as Neat Cement Grout). A mixture of potable water and Portland II, and III or high alumina cements with the addition of pre-hydrated bentonite. The total amount of uding pre-hydration of added bentonite, shall not exceed 6.5 gallons per 94 pound sack of cements be mixed and installed in accordance with the American Petroleum Institute Standards—API Class Abund in API RP10B "Recommended Practice for Testing Oil Well Cements and Cement Additives, or other approved standards.
	XX	Clean Water. See Potable water.
	16 <del>5</del> .	Closed Loop Heat Exchange Well. A ground source thermal exchange well constructed for the
	of insta	alling any underground closed loop system through which heated fluids are circulated but remain ontact with the subsurface.

<u>1816.</u> Conductor Pipe. A permanent, relatively short string of large-diameter <u>casing pipe</u> which is set to keep the top of the <u>bore</u>hole open and provide a means of returning the up flowing drilling fluid from the well bore to the surface <u>drilling fluid system</u> until the first casing string is set in the well.— ()

include sound igneous and metamorphic rock, sound carbonates and well-cemented sandstones.

 $\overline{2}13$ 

## Working DRAFT for <u>December 1, 2006</u>Nov 3 Meeting Page 5 of 28

and the second of the second o	sandstone, limestone and shale. Commonly, these formations will stand at the edges of a b
without caving.	<del></del>
19XX	Contaminant. Any chemical compound, biological agent, or physical property not occurring
naturally in grou	and water or that occurs naturally at lower concentrations or to lesser degrees. Contaminant al
	or aesthetic properties that result in ground water becoming less suitable for a beneficial use
	ne Director.
	·
20.	Contamination. The direct or indirect introduction into ground water of any contaminant
in whole or in p	art by human activities. The term includes the introduction of any contaminant from one g
	er, and the introduction of any contaminant that may cause a violation of the Ground Water
Rule, IDAPA 58	.01.11.
10	
	Contamination. The introduction into the natural ground water of any physical, ch
<del>viological or rad</del>	ioactive material which may:
<u> </u>	Cause a violation of State Drinking Water Standards; or
<del>u.</del>	Cause a violation of State Difficing water Standards, or
b.	Adversely affect the health of the public; or
е.	Adversely affect a designated and protected use of the State's ground water. Contan
	oduction of heated water or cooled water into the ground water if the alteration of groun
<del>temperature ren</del> e	lers the ground water less suitable for beneficial use.
21.	Decommissioned Well. See Abandoned Well.
22 <del>19</del> .	Danautment The Ideha Danautment of Water Personnes
<u>22</u> <del>19</del> .	<b>Department</b> . The Idaho Department of Water Resources.
23 <del>20</del> .	Director. The Director of the Idaho Department of Water Resources or his duly aut
representatives.	2100001 The 2100001 of the 10010 20partment of which 100000000 of the only and
1	
<u>2421</u> .	Disinfection. The introduction Disinfection (or disinfecting) is the use of chlorine or other
	oved by the Director in sufficient concentration and <del>contact-for the</del> time <del>adequate req</del> u
	l fecal and coliform bacteria, indicator organisms, and other potentially harmful pathog
<del>bacteria and patl</del>	i <del>ogens</del>
<del>-()</del>	
25	VVDecentemination of a Equipment. The process of electric acquirement is and a to account
25.	<b>EXAMPLE 1</b> XXIDecontamination of eEquipment. The process of cleaning equipment in order to prevent entrance of any contaminants into prior to insertion into an existing well to prevent entrance of any contaminants into prior to insertion into an existing well to prevent entrance of any contaminants.
that may degrad	
mai m <del>ay degradi</del>	7 much quality.
	Drive Point Well (also known as a sSand pPoint well). A well hole through which groun
<u> 26</u> 23.	are is sought or encountered that is constructed created by joining a "drive point" to a length
of any temperati	g or drilling the assembly into the ground. Drive point holes wells are not allowed to exceed
of any temperati and, then driving	
of any temperate and, then driving in depth. The de	epth of the hole is determined by measuring the maximum vertical distance between the natu
of any temperate and, then driving in depth. The de	
of any temperate and, then driving in depth. The de	epth of the hole is determined by measuring the maximum vertical distance between the nature leepest portion of the hole.
of any temperati and, then driving in depth. The de surface and the d	epth of the hole is determined by measuring the maximum vertical distance between the natureleepest portion of the hole.  XX.Dry Hole Well. (Also know as an unusable well). A well that does not yield an according to the property of the hole.
of any temperati and, then driving in depth. The de surface and the d	epth of the hole is determined by measuring the maximum vertical distance between the nature leepest portion of the hole.

322 323

324

325

326

Page 6of 28 271 pack is used to prevent the movement of fine sediment into the well casing and to enhance the ability of the well to 272 vield water. 273 274 24. Formation Sealing. Formation seals are required to protect ground water from waste, 275 contamination, and commingling of waters. Formation seals may be required from the production zone 276 continuously to land surface. The installation shall be in a manner that will: 277 a.completely fill the annular space or other spaces or voids created by drilling; 278 b.Act as an impermeable barrier to vertical movement of fluids in the annular space or other voids created by drilling. 279 280 281 282 Gravel pack. See filter pack 283 284 Grout. A mixture of cement and potable water (as in neat cement) or bentonite and potable water 285 of a consistency appropriate to be pumped through a pipe and emplaced as seal material. Additives, if approved, 286 may be added to achieve desired properties. 287 288 Hydraulie Hydro-Fracturing. A process whereby potable water or other Department-approved 289 fluid is pumped under high pressure into a well to fracture and clean out the reservoir rock surrounding the well bore 290 in order to increase flow into the well. 291 292 Incompetent Unit. Subsurface earth materials that are NOT sufficiently hard or durable to sustain 293 an open borehole without caving or producing obstructions throughout the installation of casing. Incompetent units 294 include all earth materials that are not bedrock (such as soil, sand, gravel, clay, overburden), decomposed, easily 295 <u>fractured or friable bedrock, weakly cemented conglomerates and sandstones, and shale.</u> 296 297 **Injection Well**. Any excavation or artificial (man-made) opening into the ground which meets the 298 following three (3) criteria: 299 300 It is a bored, drilled or dug hole, or is a driven mine shaft or driven well point; and a. () 301 302 b. It is deeper than its largest straight-line surface dimension; and () 303 304 c. It is used for or intended to be used for subsurface placement of fluids. () 305 306 **Intermediate Casing String.** The casing installed below the bottom of the surface casing within 307 any well to seal out specific zones. Such strings may either be overlapped, or telescoped, and sealed into the surface 308 casing, or extend continuously to land surface. () 309 310 311 3**20**. Liner. The inner tubing, piping or conduit, often of thermoplastic material, placed inside of a 312 casing. AlLiner extending beyond a casing shall be considered casing and must meet all casing requirements. 313 314 Mineralized Water. Any Geround water that has a concentrations of TDS (total dissolved 3**31**. 315 solids) concentration greater than 5000 ppm. 316 317 **Modify**. To deepen a well, increase or decrease the diameter of the casing or the well bore, install 318 a liner, place a screen, perforate existing casing or liners, alter the seal between the casing and the well bore, cut the 319 casing to install a pitless adapter, repair or replace the pitless adapter any other activity that may cause a violation 320 of these rules. alter the well to not meet the minimum well construction standards as determined by the Director. 321 (NOTE not IDWR finalized) ()

Monitoring Well. Any well more than eighteen (18) feet in vertical depth constructed to evaluate, observe or determine the quality, quantity, temperature, pressure or other characteristics of the ground water or aquifer. In Idaho, monitoring wells shall be designed by Professional Engineers licensed under the authority of I.C. §54-1201 et. seq. or Professional Geologists licensed under the authority of I.C. §54-2801 et. seq.

()

- 36. Natural Filter Pack (also Natural Pack). Graded sand and gravel between the borehole and the perforated casing or well screen produced from the native aquifer material matrix during well development. A filter pack is used to prevent the movement of sand and sediment into the well, and to enhance the ability of the well to yield water.
- **374. Neat Cement.** A mixture of Types I, II, III, or high-alumina cement mixed with with not more than six (6) gallons of potable water per 94 pound sack of cement.
- 38. Neat Cement Grout. A mixture of neat cement and up to 5% pre-hydrated bentonite. The total amount of water used, including that used to pre-hydrate bentonite, shall not exceed 6.5 gallons per 94-pound sack of cement.
- 397. Pitless Adaptor (alsoer Pitless Unit). An assembly of parts designed for attached ment to a well casing which that allows subsurface pump discharge and access to the interior of the well casing for installation or removal of the pump or pump appurtenances, while preventing eContaminants from entering the well.
  - 40XX. Potable Water. Water suitable for human consumption.-
- 4138. Production String. The casing or tubing through which water resources are produced. Theis production string shall extends from the producing zone to land surface. ()
  (Alternate: The casing through which a low temperature geothermal resource is produced. The production string shall extend from the producing zone to land surface. need to rectify w/ Rule 30, artesian and all cold water wells, see Surface casing)
- **420. Remediation Well.** A well used to inject or withdraw fluids, vapor, or other solutions approved by the Department for the purposes of remediating, or controlling potential or known contamination. Remediation wells include air sparging wells, vapor extraction wells, and wells for injection of chemicals for remediation or instituteatment of contaminated sites.
- **431. Seal or Seal Material.** The <u>low permeability impermeable</u> material, such as <u>bentonite, eement grout</u>, bentonite grout, grout neat cement grout, or neat cement placed in the annular space between the borehole wall and the <u>permanent</u>-casing; thate prevents the <u>vertical downhole</u> movement of water or the <u>vertical movement and mixing (commingling)</u> of <u>artesian</u>-waters from discrete aquifers. (NOTE not IDWR finalized)
- **442. Surface Casing**. The shallowest permanent casing string required to protect fresh water zones, to provide sufficient pressure control during drilling operations, and to support the wellhead. ()
- **453. Surface Seal.** An <u>annular seal approved seal material</u> installed in the annular space between the borehole and the <u>permanent</u> surface casing that prevents <u>the vertical movement of surface</u> water <u>from moving down between the well bore and</u> the outside of the <u>permanent</u> casing into the well or the <u>subsurface</u>. <u>Surface seals create</u> an impermeable barrier between the land surface and subsurface intervals. ()
- 46. Temporary Casing. Steel pipe used to retain the sides of the borehole through incompetent units and to prevent the ingress of water into the borehole during drilling and well construction. Temporary casing is removed following the installation of the permanent well casing and prior to well completion.
- **47. Thermoplastic Pipe**. Plastic piping material meeting the requirements of ASTM F-480-02 and designed for use as well Casing and/or Liner. ()
- XX PVC material. Plastic piping material that meets ASTM F 480 requirements and may be used as a well liner when completely eneased by well easing. (NOTE not IDWR finalized)
- 44. Unconsolidated Formation. A naturally occurring earth formation that has not been lithified. Alluvium, soil, sand, gravel, clay, and overburden are some of the terms used to describe this type of formation. ()

Page 8of 28

- 485. <u>Unusable Water Unproductive wWell (Also know as an unusable well)</u>. See Dry Hole wellA borehole or constructed well intended and permitted for ground water production that, for any reason, fails to produce water of adequate quantity or desirable quality for its intended use.
- **49. Waste**. Any unreasonable physical misuse or squandering of the ground water resource including, but not limited to:

a) the flow of water from an aquifer into an unsaturated subsurface interval, b) the transfer and/or mixing of waters from one aquifer to another (aquifer commingling), c) the release of ground water to the land surface, by natural artesian flow or by pumping, whenever such release does not comply with an approved and permitted beneficial use, and d) the release of ground water to the land surface, by natural artesian flow or by pumping, during times inconsistent with an approved and permitted beneficial use (for example, prior to or after irrigation season). ()

- **5046. Well.** An artificial (man-made) excavation or opening in the ground more than eighteen (18) feet in vertical depth below the natural land surface by which ground water of any temperature is sought or obtained. The depth of a well is determined by measuring the maximum vertical distance between the land surface and the deepest portion of the well. Well also means any waste disposal and injection well as defined by Section 42-3902, Idaho Code. Well also means any test well, monitoring well, cathodic protection well, observation well, recycling well, ground source heat exchange well, or exploratory well more than eighteen (18) feet in vertical depth below the natural land surface that is constructed to evaluate the ground water resource or to evaluate contamination of the resource. Well does not mean a hole drilled for mineral exploration, oil and gas exploration (for which a permit has been issued pursuant to Section 47-320, Idaho Code), for mine shafts or adits, for temporary construction dewatering, for foundation geotechnical evaluations, or for elevator shaft installation...
- <u>5147.</u> Well Development. The act of bailing, jetting, pumping, or surging water in a well to remove drilling fluids, fines, and suspended materials from within the borehole, screen, filter pack, and aquifer to Well development is the process of establishing the optimal hydraulic <u>connection production</u> between the well and the aquifer supplying water. Development by bailing, pumping, surging, or jetting will maximize water yield, break down the compacted borehole wall, liquefy jelled mud and remove mud and formation fines from the well.
  - **5249. Well Driller**. Any driller or operator authorized under I.C. §42-238.— ()
  - **530. Well Drilling.** The act of constructing, <u>or</u> modifying, <u>or abandoning</u> a well.<del>-</del> ()
- **541. Well Owner**. The owner of the land on which the well is located unless a deed, covenant, contract, easement, or other documentation acceptable to the <u>dD</u>irector <u>is provided to</u>-demonstrates that the well is <u>owned by the responsibility of another party.</u> ()
- **552. Well Rig.** Any power driven <u>percussion, rotary, boring, digging, jetting, or auguring machine</u> echanical equipment used in the construction or modification of a well.
- 011. ABBREVIATIONS (RULE 11).
- 012. -- 024. (RESERVED).
- 025. GENERAL STANDARDS FOR CONSTRUCTION OF COLD WATER WELLS (RULE 25).
  - **01. Standards for Every Well**. The Well Driller shall construct each well that: ()
- a. Is in accordance with these rules and with as required by the "conditions of approval" of any drilling permit approved pursuant Section 42-235, Idaho Code, and in a manner that will guard against waste, commingling of aquifer, and contamination of the ground water resources. The adopted rules standards are minimum standards that must be adhered to in the construction of all wells, and in the modification or abandonment of existing wells. The Director shall require measures beyond the minimum, when standards when determined necessary to protect the ground water resources, require that specific wells be constructed with additional standards. If the well driller determines, during construction, modification, or abandonment of any well, that the minimum standards are not sufficient to protect the ground water resources, the well driller will take measures over and above

site;

439

451

these minimum standards as necessary to achieve this goal. The well driller and the property owner well owner are charged with the responsibility of taking appropriate whatever steps might be necessary in any unique situation to guard against waste, commingling of aquifer, and contamination of the ground water resources.

**bxx.** Is based on the geologic and ground water conditions known to exist or are anticipated at the well

Lesuch that it is capable of producing, where obtainable, the quantity of water to support the <u>approved</u> beneficial uses by the <u>Ww</u>ell <u>Oo</u>wner, subject to law;

Such that it complies with these standards and the following siting and distance requirements: <u>de.</u>

()

Separation of Well from:	Minimum
	Separation Distance
	(feet)
Any Potentially hazardous	50
underground tanks	
Existing well	<u>50</u>
Septic drain field	100
Septic <del>T</del> tank	50
Septic <b>T</b> tank with more than	300
2,500 GPD of sewage inflow	
Sewer line (gravity)	50
Sewer line (pressure)	100
Property <u>Ll</u> ine	10
Permanent <b>B</b> <u>b</u> uildings or	10
structures	
Streams, canals, irrigation	50
ditches or laterals, and other	
permanent, temporary, or	
intermittent bodies of water	

452 453

456 457 458

454

455

459

472

473

Compliance with the above siting and separation distances does not exempt the driller from complying with other requirements established by authorized bodies (e.g. District Health Departments, Idaho Department of Environmental Quality, etc.)

- **Example 1 Less that, if used for injection, it complies with these standards and IDAPA 37.03.03, "Rules for Injection, it complies with these standards and IDAPA 37.03.03, "Rules for Injection, it complies with these standards and IDAPA 37.03.03,"** the Construction and Use of Injection Wells";
- Legisland Legisl 58.01.08, "Idaho Rules for Public Drinking Water Systems."
- Waivers. The Well Driller (or Well Designer, if different) may submit a detailed plan and written request to the Director for a waiver of these minimum standards. The waiver may be granted lift the Director determines that the ground water resources will be protected, according to the planwithout complying with the minimum well construction standards the request may be approved. DWell drilling shall not commence until the Director has approved the proposed drilling plan and granted the waiver in writing. If a waiver is granted, all well drilling activities shall adhere to the plan as approved.
- Requirements for Licensure. No person except Well Drillers licensed under the authority of I.C. §42-238 shall construct, or-modify or abandon a well.

Page 10of 28

026. -- 029.

well.

475 476 477

474

478

479

480

485

486

487 488 489

<del>-()</del> (Alternate 1: 10-State)

04. **Documents to be Provided to Well Owner.** The Well Driller shall provide the <u>Ww</u>ell <u>Oo</u>wner with a copy of the approved well drilling permit prior to commencement of drilling activities, and a copy of the Wwell Ddriller's report upon completion of the well.

STANDARDS FOR STEEL CASING AND LINERS (RULE 30). 030.

(RESERVED).

01. Requirement for Casing. The Well Driller shall install casing in every water well and injection

02. Minimum Steel Casing Specifications. The Well Driller shall install steel casing that meets or exceeds the American Society of Testing and Materials (ASTM) standard A53, Grade B or API 5L Grade B, and that meets the following specifications:-

Minimum Specifications for Permanent Steel Casing			
Nominal	Outside Diameter	Nominal Wall	
Size (in.)	(in.)	Thickness (in.)	
4	4.5	0.237	
5	5.563	0.258	
6	6.625	0.280	
8	8.625	0.322	
10	10.75	0.365	
12	12.75	0.375	
14	14	0.375	
16	16	0.375	
18	18	0.375	
20	20	0.375	
22	22	0.375	
24	24	0.375	
26	26	0.375	
28	28	0.375	
30	30	0.375	
32	32	0.375	
34	34	0.375	
36	36	0.375	

490 491 (Alternate 2: NGWA)

<b>Nominal Size:</b>	Outside Diameter	<b>Depth Below</b>	Nominal Wall Thickness
<u>(in.)</u>	<u>(in.)</u>	Surface (ft.)	<u>(in.)</u>
<u>4</u>	<u>4.5</u>	<u>Any</u>	0.237
<u>5</u>	<u>5.563</u>	<u>Any</u>	<u>0.250</u>
<u>6</u>	<u>6.625</u>	<u>Any</u>	<u>0.250</u>
<u>8</u>	<u>8.625</u>	<u>Any</u>	<u>0.250</u>
<u>10</u>	<u>10.75</u>	< 1000	<u>0.250</u>
<u>10</u>	<u>10.75</u>	<u>1000 +</u>	<u>0.375</u>
<u>12</u>	<u>12.75</u>	< 1000	<u>0.250</u>
<u>12</u>	<u>12.75</u>	<u>1000 +</u>	<u>0.375</u>
<u>14</u>	<u>14</u>	<u>&lt; 800</u>	0.250

Page 11of 28

14	800 +	<u>0.375</u>
		<u>0.250</u>
16	400 +	0.375
18		0.250
18		0.375
20		0.250
20		0.375
22		0.250
22		0.375
<u>24</u>		0.375
<u>24</u>		**
<u>26</u>		<u>0.375</u>
<u>26</u>		**
<u>28</u>		<u>0.375</u>
<u>28</u>	<u>1000 +</u>	** ** **
<u>30</u>		**
<u>&gt;30</u>		**
	14 16 18 18 20 20 22 22 24 24 26 26 28 28 30 >30	$\begin{array}{c cccc} \underline{16} & & \leq 400 \\ \underline{16} & & \underline{400} + \\ \underline{18} & & \leq 300 \\ \underline{18} & & \underline{300} + \\ \underline{20} & & \leq 300 \\ \underline{20} & & \underline{300} + \\ \underline{22} & & \leq 300 \\ \underline{22} & & \underline{300} + \\ \underline{24} & & \leq 1000 \\ \underline{24} & & \underline{1000} + \\ \underline{26} & & \leq 1000 \\ \underline{26} & & \underline{1000} + \\ \underline{28} & & \leq 1000 \\ \underline{28} & & \underline{1000} + \\ \underline{30} & & \underline{Any} \\ \geq \underline{30} & & \underline{Any} \\ \\ \underline{>30} & & \underline{Any} \\ \end{array}$

\*\* Design by Professional Engineer Required

\_\_\_(

<del>()</del>

#### **O3. Standards for Casing and Liner Installation**. The Well Driller shall:

()

- **a.** Exensure that the casing extends at least eighteen (18) inches above the higher of: 1) the land surface; 2) the finished grade at the time of well completion; or 3) the 100-year flood elevation at well location; (1)
- e. b. Eensure that the casing extends to the depth required by these rules; and
- d. c. Eensures that the casing extends a minimum of eighteen (18) feet below land surface.
- e. d. Install a commercially manufactured snorkel well cap vent when local conditions or the well owner require top of casing to be installed below the above 100-year flood elevation.
- **ef.** Upon completion of drilling and prior to removal of well drilling equipment from the well site, shall cover the top of the casing with a one-fourth inch (1/-4") thick, solid, new or like-new steel plate fully welded in place, or a commercially manufactured well cover cap that will prevent the entrance of fluids into the well. Cast aluminum caps are prohibited. If the well flows at land surface the well driller shall install a Department\_-approved control device in accordance with pursuant\_RULE 74.
- **fe.** Join casing and liner lengths by welded joints or screw-couple joints and shall ensure that the welded joints are straight and water tight.
- gd. Ensure that welded joints shall be made using welding rods of at least equal quality to the most noble casing metal, shall be at least as thick as the wall thickness of the well casing, and shall be fully penetrating. Casing ends to be joined by welding shall be properly prepared, beveled and gapped to allow full penetration of the weld. Welded joints shall have a minimum of two (2) passes including a "root" pass and have minimal undercut when complete. \_\_\_\_\_\_()
- **hf.** N-not use perforated casing as working casing while <u>drilling</u> the <u>bore</u>hole <u>is being drilled</u>, except in <del>water table</del> saturated conditions where no confining layers will be penetrated. ()
- 03. Standards for Strength of Casing and Liners. The Well Driller shall install casing and liners that have sufficient strength to withstand the normal forces and the corrosive effects for the life of the well.

#### 031. -- 034. (RESERVED).

#### 

#### 035. STANDARDS FOR MINIMUM WELL CASING SIZE (RULE 35).

Based on the yield the well owner requires and upon subsurface conditions, the Well Driller shall install casing of sufficient size to produce the desired yield without harm to the aquifer. Minimum-sufficient size casing shall be defined according to the table below:

534 defin 535

Well Yield Pumping Rate Design (gpm)	Nominal Size of Pump Bowls (inches)	Minimum Size of Well Casing (inches)
Less than 100	4	<u>5</u> 6 ID
<u>100 to 200</u>	<u>4</u>	<u>6 ID</u>
75 to 175	5	<u>6</u> 8 ID
75150 to 350	6	<u>8</u> 10 ID
100 <mark>300-</mark> to 700	8	<u>10</u> 12 ID
<del>5</del> 200 to <del>10</del> 700	10	<u>12</u> 14 O <u>I</u> D
800 to 1800	12	<u>14</u> 16 OD
<del>12</del> <u>6</u> 00 to <del>25</del> <u>13</u> 00	14	<u>16</u> 20 OD
<u>1</u> 200 <del>0</del> to <u>3018</u> 00	16	<u>20</u> 24 OD
1800 to 3000	<u>20</u>	<u>24 OD</u>
3000 to 4500+	<del>20</del>	<del>30 OD</del>
3000 to 4500	<u>22</u>	28 OD
4500 +	22	20 OD

#### 

#### 36. STANDARDS FOR PLUMBNESS AND ALIGNMENT (RULE 36).

The Well Driller shall install casings and liners sufficiently plumb and straight to allow the installation or removal of screens, liners, pumps and pump columns without binding or having adverse effects on the operation of the installed pumping equipment.

01. The Well Driller shall demonstrate plumbness and alignment by one of the following methods:

()

- **a.** By performing a cylindrical plummet test, or
- **b.** By using a photographic, mechanical, or pendulum drift indicator, or
- **c.** By successfully passing a forty-foot test section of pipe not less than 0.5 inch smaller than casing I.D. freely from the bottom of the well.

#### 037. -- 039. (RESERVED).

# <u>040.</u> STANDARDS FOR THE USE OF THERMOPLASTIC PIPE AS CASING AND LINER (Rule 40). All Thermoplastic Pipe shall conform to ASTM F480-02, shall be in new condition and clearly marked "Well Casing" by the manufacturer. The following does not apply to Thermoplastic Pipe when used as well screen (*Note: this needs to be addressed in the screen section*).

- a) Thermoplastic Pipe may be used as well Casing in all monitoring wells. Thermoplastic Pipe used as Casing in monitoring wells shall be a minimum of schedule 40 and shall be installed in accordance with the manufacturers recommendations and specifications.
- b) Thermoplastic Pipe may be used as well Liner when completely enclosed inside of permanent steel casing in all wells. Thermoplastic Pipe used as Liner shall have a minimum wall thickness of SDR 21 and shall be installed in accordance with the manufacturers recommendations and specifications.
  - c) Thermoplastic Pipe may be used as well Casing only within uninterrupted Competent Units and only

Page 13of 28

where drilling demonstrates the suitability for its use as such. In these cases, Thermoplastic Pipe used as Casing shall be a minimum wall thickness of SDR 21, shall be installed with centralizers placed not more than 25 feet apart, and shall be fully supported by Artificial Filter Pack in the screened interval and sealed by positive displacement from the top of the filter pack (a) to land surface, or (b) into the permanent steel casing. Artificial Filter Pack or reserve filter pack (the additional amount of filter pack material emplaced above a well screen to allow for settling) shall not extend past any confining layer above the screened interval. All Thermoplastic Material used as Casing in such applications shall be installed under tension and in accordance with the manufacturers recommendations and specifications.

d) In situations where the subsurface geology alternates between Competent and Incompetent Units, or for applications not described above, the use of Thermoplastic Pipe as Casing may be considered on a case-by-case basis only upon submittal of a written and detailed request for a waiver. The waiver may be approved if it is determined that the proposed use of Thermoplastic Pipe is appropriate and will protect the resource. When approved by waiver and used as Casing, Thermoplastic Pipe shall have a minimum wall thickness of SDR 17, shall be installed with centralizers placed not more than 25 feet apart, and shall be fully supported by Artificial Filter Pack in the screened interval and sealed by positive displacement from the top of the filter pack to land surface. Artificial Filter Pack or reserve filter pack (the additional amount of filter pack material emplaced above a well screen to allow for settling) shall not extend past any confining layer above the screened interval. All Thermoplastic Material used as Casing in such applications shall be installed under tension.

#### 040. STANDARDS FOR PLASTIC CASING AND LINERS (RULE 40).

PVC well casing may be used in monitoring wells or as a liner inside steel casing without a waiver. All PVC pipe shall be new and be clearly marked "Well Casing" by the manufacturer. All PVC casing or liner shall conform to ASTM F480 02. PVC casing used in monitoring wells shall be a minimum of schedule 40. PVC liner shall have a minimum wall thickness equal to or greater than SDR 21.

The use of PVC as casing for water wells may be considered on a case by case basis only upon submittal of a written and detailed request for a waiver. The waiver may be approved if it is determined that the proposed use of PVC will protect the resource. When approved for use in water wells as casing, PVC shall have a minimum wall thickness equal to or greater than SDR 17, shall be installed with centralizers placed not more than 25 feet apart, and shall be fully supported by filter pack in the screened interval and sealed by positive displacement from the top of the filter pack to land surface. Filter pack or reserve filter pack (the additional amount of filter pack material emplaced above a well screen to allow for settling) shall not extend past any confining layer above the screened interval. All PVC casing shall be installed under tension, and in accordance with the manufacturers recommendations and specifications.

#### 041. -- 049. (RESERVED).

#### 050. GENERAL STANDARDS FOR SEAL MATERIAL (RULE 50).

The Well Driller may use bentonite or cement sealants to seal wells. <u>All bentonite or cement grouts shall be pumped into place from the bottom upward via tremmie pipe or other method of positive displacement approved by the Director.</u> ()

#### 01. Standards for Bentonite Sealants.

- **a.** The Well Driller may install <u>bentonite</u> pellet<u>sized</u>, granul<u>esated</u>, <u>chips</u>, <u>or</u> powder<del>, or chip</del> <u>bentonite</u> in the construction of seals or in the <u>abandonmentdecommissioning</u> of wells.
- **b.** The Well Driller shall install only bentonite specifically designed for sealing or decommissioning and within the industry tolerances for dry western sodium bentonite.
  - **c.** All unhydrated bentonite used for sealing or decommissioning must be free of organic polymers.
- **d.** Polymer additives must be designed and manufactured to meet industry standards to be non-degrading and must not act as a medium which will promote growth of micro-organisms. ()

Page 14of 28

()

_	٥.
6	26
6	27 28 29
6	29 29
6	30
6	31
6	32
6	33
6	34
6	33 36
6	30 37
6	38
6	39
6	30 31 32 33 34 35 36 37 38 39 40 41 42
6	41
6 6	43 44
6	15
6	46
6	46 47 48
6	48
6	49
6	50
6	48 49 50 51 52
6	32 53
6	53 54
6	55
6	56
6	57
6	58
6	59 20
6	0U 61
6	55 56 57 58 59 61 62
6	63
6	64
	65
	66
	67
	68 69
6	
6	
6	
6	73
6	74
6	75
6 6	/6 77
6	1 /

- **e.** The Well Driller shall install and place bentonite in accordance with the manufacturer's specifications. ()
- **f.** The Well Driller shall install dry granular bentonite or bentonite chips in an annular space with a minimum diameter of four (4) inches larger than the nominal size of the largest-diameter casing. ()

#### 02. Standards for Cement Sealants.

- **a.** Neat cement consists of either portland cement types II, III, or high-alumina cement mixed with not more than six (6) gallons of potable water per sack of cement (ninety-four (94) pounds per sack). ()
- **b.** Neat cement grout consists of neat cement with up to five (5%) percent bentonite clay added, by dry weight of the bentonite. Bentonite is added to improve flow qualities and compensate for shrinkage. ()
- **c.** Concrete sealants consist of clean, hard and durable aggregate with not less than five (5) sacks (ninety-four (94) pounds per sack) of portland cement per cubic yard of concrete sealant. ()
- i. The maximum diameter of aggregate particles may not exceed one and one-half  $(1 \ 1/2)$  inches, but in any case may not exceed one fifth (1/5) the minimum width of the casing thickness. ()
- ii. The ratio of coarse aggregate to fine aggregate (passing No. 4 U.S. Standard Sieve) must be approximately one and one-half to one  $(1 \frac{1}{2} \text{ to } 1)$  by volume, but in any case, may not exceed two to one (2 to 1) nor be less than one to two (1 to 2).
- iii. Expanding agents, such as aluminum powder, may be used at a rate not exceeding seventy-five thousands (0.075) ounce (one (1) level teaspoon) per sack (ninety-four (94) pounds per sack) of dry cement. The powder may not contain polishing agents. High-alumina cement and portland cement of any type must not be mixed together.
- d. All grout shall be mixed and installed in accordance with the American Petroleum Institute Standards API Class A through H, as found in API RP10B "Recommended Practice for Testing Oil Well Cements and Cement Additives," or other Department approved standard.

()

- **03. Prohibited Seal Materials**. The Well Driller shall never use drill cuttings, native dirt, soil, sand or gravel, or puddling clay to seal a well.
- 04. Seal Placement. Approved seal material shall be installed by one (1) or more of the following methods:
- **a.** Seal material placed below the water table by pressure piping directly to the point of application or by placing by using a dump bailer or tremie tube. When used to place seal material, the discharge end of the tremie pipe shall be submerged in the grout to avoid breaking the seal while filling the annular space. ()
- ${f c.}$  Only dry bentonite granules manufactured or treated for installation below the water level may be poured into the well. ()
  - **d.** Above the water table, dry bentonite granules may be poured into the borehole or well casing.

## Working DRAFT for <u>December 1, 2006</u>Nov 3-Meeting Page 15of 28

<b>051. GENE</b> The Well Drille	CRAL METHODS FOR INSTALLATION (RULE 51).  er shall:	C
0.1	N 4 G 4 N 4 G 4 G 4 N	
cement grout th	<b>Neat Cement or Neat Cement Grout</b> . Place neat cement or neat cement grout at least severable before additional drilling takes place, unless special additives are mixed with the neat cement or neat cause it to set in a shorter period of time. All grout shall be mixed and installed in accordance Petroleum Institute Standards - API Class A through H, as found in API RP10B "Recomme	nea
	ting Oil Well Cements and Cement Additives," or other Department approved standard.	C
<b>02.</b> pumping the mi	<b>Hydrated Seal Material</b> . Install all hydrated seal material using a tremie pipe or by presexture from the bottom of the annular space to the surface in one continuous operation.	ssure
<b>03.</b> bentonite comp	<b>Fills the Annular Space</b> . Ensure that pelletized, granulated, powdered, or chipped unhydraletely fills the annular space and the seal is free of voids or bridges.	rated
	Calculate the Volume of Unhydrated Bentonite. Shall calculate the volume of unhydrould fill the annular space between the casing and the borehole and shall store at least 125% of drated bentonite at the drill site.	
	<b>Pouring Unhydrated Bentonite from the Surface</b> . If pouring unhydrated bentonite from the annular space between the casing and the borehole, shall pour bentonite around all sides of use a tag line to measure the depth to the top of the bentonite.	
<b>06.</b> below the wate water level.	Installing Unhydrated Bentonite Below the Water Table. If installing unhydrated bentor table, shall install only unhydrated bentonite specifically manufactured for installation below ()	
	<b>Installing Seal Material by Pressure Pumping</b> . If installing seal material by pressure pume pipe or float shoe, the Well Driller may reduce the annular space between the casing and a minimum of four (4) inches to a minimum diameter of two (2) inches.	
052. REQU	JIREMENTS FOR SURFACE SEALING (RULE 52).	
The Well Drille	er shall seal in the annular space between the borehole and the permanent surface casing seal is prevent surface water from flowing down the outside of the casing.	in al
01.	Standards for Surface Sealants. The Well Driller shall:	C
a. surface casing,	Install the surface seal with a minimum diameter of four inches larger than the nominal size of to include the outside diameter of the bell, the bell and hub couplings, and the drive shoe.	
<b>b.</b> of the water tab	Install a surface seal from land surface to a minimum depth of ten feet below the lowest elevale.	atior
c. surface seal from	If the lowest elevation of the water table is less than eight (8) ft. below land surface, inst m land surface to a minimum depth of eighteen (18) ft. feet below the land surface.	tall a
d. and extends to	Ensure that the seal fully surrounds the permanent casing, is evenly distributed, is free of vandisturbed or recompacted soil.	oids
02.	Methods to Install Surface Sealants. The Well Driller may:	C
a. material flows a	Install the surface seal by pressure grouting from the bottom of the annular space until the at the surface.	seal
<b>b.</b>	Install the surface seal through a tremie pipe.	C

Page 16of 28

- **c.** Install the surface seal by pouring granular bentonite from the surface of the ground. When using this method, the Well Driller will tag the top of the bentonite as it is poured from the surface. ()
- **03. Use of Temporary Casing.** The Well Driller may install temporary casing in all unconsolidated formations such as in gravels, sands, or other unstable conditions where the Well Driller does not use drilling fluids or other means to keep the borehole open. When the Well Driller removes the temporary surface casing, the Well Driller shall place the seal material in the annulus in accordance with the procedures above. ()

#### 053. REQUIREMENT TO REPAIR OR REPLACE SURFACE SEALS (RULE 53).

Whenever a Well Driller moves the permanent surface casing or damages the existing surface seal, or whenever a Well Driller discovers that a surface seal was never installed on the well or has been damaged, the Well Driller shall repair, replace, or install a minimum of eighteen feet of surface seal around the permanent casing. ()

#### 054. REQUIREMENTS FOR FORMATION ANNULAR SEALING (RULE 54).

If the well obtains artesian water, the Well Driller shall seal the annular space between the borehole and the permanent casing to prevent movement of artesian water flowing up or down the outside of the casing. ()

- **01.** Sealing in Incompetent Units of Unconsolidated Formations without Significant Clay Beds. If a Well Driller installs a well into an aquifer overlain by Incompetent Units unconsolidated formations (such as sand and gravel) without significant clay beds, the Well Driller will seal the annular space between the borehole and the permanent surface to a minimum depth of ten (10) feet below the lowest elevation of the water table. ()
- **O2.** Sealing in Incompetent Units of Unconsolidated Formations with Significant Clay Beds. If a Well Driller installs a well into an aquifer overlain by clay or other confining formations that are at least six (6) feet thick, the Well Driller shall seal the annular space between the borehole and the permanent surface casing. The Well Driller shall:
- **a.** Install a borehole at least four inches greater in diameter than the nominal size of the permanent well casing from the land surface into the clay bed or other confining formation located directly above the aquifer from which the well will obtain water. ()
- **b.** Fill the annular space with bentonite (slurry or unhydrated), cement grout, or neat cement to form a watertight seal between the casing and all confining formations encountered during drilling. ()
- **c.** Install all bentonite slurries, cement grout, or neat cement in the annular space by either pumping or tremming the seal material from the lowest clay bed or other confining formation of significance encountered, to land surface. ()
- **d.** Keep the drill hole open through the use of a temporary casing or any other drilling method that stabilizes the borehole wall.
- **03. Sealing** in Competent Units of Consolidated Formations. If a Well Driller installs a well that penetrates an aquifer, either within or overlain by a Competent Unit consolidated formation, the Well Driller shall seal the annular space between the borehole and the permanent casing using one (1) of the following procedures: ()
  - a. Procedure One. The Well Driller shall: ()
- i. Extend the upper drill hole at least four inches greater in diameter than the nominal size of the permanent well casing from land surface into a <u>Competent Unitsound, unfractured, consolidated formation</u>. ()
- ii. Install an unperforated permanent casing to extend to this same depth and drive the lower part of the casing into the <u>Competent Unit eonsolidated formation</u> to establish a watertight seal between the formation and the casing.

()

#### Working DRAFT for December 1, 2006Nov 3 Meeting Page 17of 28 793 Place seal the annular space on the outside of the casing to land surface with cement grout, neat iii. 794 cement, or bentonite. 795 796 b. Procedure Two. The Well Driller shall: () 797 798 Install an upper drill hole at least four inches greater in diameter than the nominal size of the i. 799 permanent casing from land surface to a depth of at least eighteen feet. 800 801 Drive an unperforated permanent casing into the Competent Unitconsolidated formation to ii. 802 establish a watertight seal between the formation and the casing. 803 804 Keep the annular space between the upper drill hole and the permanent casing at least one-half (1/ 805 2) full with unhydrated bentonite or bentonite slurry during driving of the casing into the Competent 806 Unit<del>consolidated formation</del>. 807 808 iv. Fill the remainder of the annular space to land surface with cement grout, neat cement, or 809 bentonite. 810 () 811 812 055. -- 059. (RESERVED). 813 814 REQUIREMENTS FOR SEALING OF ARTESIAN WELLS (RULE 60). 815 If the Well Driller installs a well that produces or obtains artesian water, the Well Driller shall: () 816 817 Install Unperforated Well Casing into the confining stratum overlying the artesian zone and 818 emplace seal material on the outside of the casing, as described above; 819 820 If the well flows at the surface, install a control valve at the surface to ensure that the flow can be 821 completely stopped; and 822 () 823 824 b. If leaks occur around the well casing or adjacent to the well, the Well Driller shall install seals, 825 packers, casing or grout that will eliminate the leakage. The Well Driller shall not move his well drilling rig from the 826 site until leakage has been eliminated. 827 828 **Precautions to Case and Seal Out Aquifers.** Take all precautions to case and seal out aquifers 829 which may lead to waste or contamination. 830 831 REOUIREMENTS FOR SEALING OF ARTIFICIAL FILTER PACK WELLS (RULE 61). 832 The Well Driller shall seal every artificial filter pack well using one (1) of the following methods: 833 834 Sealing of Filter Pack With Access Pipes. If the Well Driller injects filter material through 835 access pipes or tubes, the Well Driller may inject sealing materials through the access tubes. The Well Driller shall:() 836 837 shall ensure that the seal is watertight around the injection pipe and that the pipe is equipped with 838 a watertight cap or plug. 839 840

**b.** shall ensure that the seal extends to a minimum of ten (10) feet below the lowest elevation of the water table. If the lowest elevation of the water table is less than eight (8) ft. below land surface, the Well Driller shall install a surface seal from land surface to a minimum depth of eighteen (18) ft. feet below the land surface. ()

841

842

843 844

845

846 847

- ${f c.}$  shall install a watertight cap or plug on the access pipe or pipes, if the pipes are used for injecting sand into the filter pack.
- **O2. Sealing of Filter Pack with Temporary Casing.** If the Well Driller installs a temporary casing, the Well Driller shall.

851 852 853

854 855 856

865 866

870 871 872

898 899 900

904

install the temporary casing at least four inches in diameter greater than the permanent casing and will install the temporary casing to at least ten (10) ft. below the highest water table elevation.

shall fill the annular space on the outside of the permanent casing with cement grout or bentonite as the temporary casing is withdrawn.

#### REQUIREMENTS FOR SEALING OF DRIVEN WELLS (RULE 62).

(Note to IDWR, in definition section we stated that driven wells could not exceed 18-ft) The Well Driller shall install surface and formation seals in driven wells. The Well Driller shall:

- Casing. Drive each casing through an upper hole which shall be at least four (4) inches greater in diameter than the inner casing or liner;
- Annular Space. Ensure that the annular space between the upper oversized drill hole and each 02. casing is at all times at least one-half (1/2) full with bentonite or bentonite slurry at all times during driving of the pipe;
- 03. **Temporary Casing.** If a temporary casing or other means of maintaining an open borehole is utilized by the Well Driller, install temporary casing that has an outside diameter a minimum of four (4) inches larger than the permanent casing (for example, a ten (10) inch temporary casing for a six (6) inch permanent casing);()
- Removal of the Temporary Casing. Shall fill the annular space between the borehole and the permanent surface with sealant during removal of the temporary casing.

#### 063. REQUIREMENTS FOR SEALING OF JETTED WELLS (RULE 63).

(Note to IDWR, in definition section we stated that jetted wells were not allowed) The Well Driller shall install the seal in jetted wells to seal the annular space between the permanent casing and undisturbed native soil. The Well Driller shall ensure that the annular space between the upper oversized drill hole and the permanent casing is at all times at least one-half (1/2) full with bentonite or bentonite slurry throughout all driving of the pipe. The remaining annular space to land surface shall be filled with cement grout, neat cement, or bentonite.

()

064. -- 069. (RESERVED).

#### INJECTION WELLS (RULE 70).

The construction and/or modification of all injection wells shall comply with IDAPA 37.03.03. Additionally, the construction and/or modification of all injection wells greater than 18-feet in depth shall comply with these rules. The well driller shall obtain a copy of the injection permit issued by the Department in addition to the required drilling permit prior to commencement of construction and/or modification of any injection well greater than 18-feet in depth.

#### **CATHODIC PROTECTION WELLS (RULE 71).** 071.

Only a Well Driller shall construct, or abandon a cathodic protection well. Cathodic protection wells shall be constructed in compliance with these rules. A detailed construction plan shall be included with the drilling permit application.

#### 072. MONITORING AND REMEDIATION WELLS (RULE 72).

Well Designers shall submit designs and specifications for each monitoring or remediation well and every monitoring or remediation well network to the Director for approval. ()

01. Site Specific Monitoring and/or Remediation Programs Authorized Under Blanket Permits. The application for a blanket permit shall include a design proposal prepared by a licensed engineer or licensed geologist pursuant to I.C. 42-235. Blanket permits for well networks may be approved for site specific monitoring and/or remediation programs.

designs	<b>021.</b> and spe	Plans and Specifications for Monitoring or Remediation Wells and Well Netwecification shall demonstrate that:	orks. The
	•	The ground water resources are protected against waste and contamination;	
	a.		(
and wa		The monitoring wells and monitoring well network will obtain the information on water ity for which the monitoring well or monitoring well network is required;	<del>elevation</del> (
sufficie	<del>nt quan</del>	The remediation wells and remediation well network will inject or withdraw only fluitround water, or other solutions approved by the Department) at the appropriate location tities, at sufficient concentrations, and for sufficient duration to remediate, clean up, own ground water contamination;	on and or contro
potentia	<del>ii Oi Kii</del> O		(
<del>contam</del>	<u>c</u> d. <del>ination l</del>	The remediation and monitoring wells will be constructed so as to prevent the between aquifers commingling; and;	<del>spread c</del>
	e.	The well casing, screens, filler and seal materials are resistant to the corrosive effects of	chemical
that mig	ght be ex	<del>xpected in the ground water, and</del>	(
accorda	df.	The remediation and monitoring wells will be <u>properly</u> abandoned <u>upon project complet</u> h these rules <u>minimum standards herein</u> .	tion and i
industri authoriz	zed <u>by</u> w	icipal, commercial, or agricultural uses—from a remediation or monitoring well for any prithout the prior approval of the Director.  Requirements for Licensure. No person except Well Drillers licensed under the accept well being the price of the second s	
equippe	ls shall	ESS PORT (RULE 73).  be equipped with an access port that will allow measurement of water level and well depart a commercially manufactured well cover cap as per RULE 30 do not require installass port.	
074.	FLOW	VING ARTESIAN WELLS. (RULE 74).	
	ls that f	flow at land surface shall be equipped with a control device as required by I.C 42-1603.	
	shall:		All contro
All wel devices	a. co	ompletely control artesian flow from the well. low for the installation and removal of a gauge to measure shut-in pressure.	All contro
	a. co b. all		All contro
074 0	<ul><li>a. co</li><li>b. all</li><li>079.</li><li>CONI</li></ul>	low for the installation and removal of a gauge to measure shut-in pressure.	
074 0 080. (RULE	a. co b. all 079. CONI 280).	low for the installation and removal of a gauge to measure shut-in pressure.  (RESERVED).  DITIONS REQUIRING THE ABANDONMENT (DECOMMISSIONING) OF A	A WEL
074 0 080. (RULE The we	a. co b. all 079. CONI 280).	low for the installation and removal of a gauge to measure shut-in pressure.  (RESERVED).	A WEL
074 0 080. (RULE The we	a. co b. all 079. CONI 280).	low for the installation and removal of a gauge to measure shut-in pressure.  (RESERVED).  DITIONS REQUIRING THE ABANDONMENT (DECOMMISSIONING) OF a shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner that will prevent waste or and contamination of the shall maintain every well in a manner than the shall maintain every well and the shall every well	A WEL: the groun onment)
074 080. (RULE The we water.	<ul> <li>a. co</li> <li>b. all</li> <li>079.</li> <li>CONI</li> <li>280).</li> <li>ell owner</li> <li>The Dire</li> <li>a.</li> <li>b.</li> </ul>	low for the installation and removal of a gauge to measure shut-in pressure.  (RESERVED).  DITIONS REQUIRING THE ABANDONMENT (DECOMMISSIONING) OF A restall maintain every well in a manner that will prevent waste or and contamination of the ector may require abandonment if the well: (Note: need to establish a time-frame for abandonment)	A WEL
074 080. (RULE The we water.	<ul> <li>a. co</li> <li>b. all</li> <li>079.</li> <li>CONI</li> <li>280).</li> <li>ell owner</li> <li>The Dire</li> <li>a.</li> <li>b.</li> </ul>	low for the installation and removal of a gauge to measure shut-in pressure.  (RESERVED).  DITIONS REQUIRING THE ABANDONMENT (DECOMMISSIONING) OF A reshall maintain every well in a manner that will prevent waste or and contamination of the ector may require abandonment if the well: (Note: need to establish a time-frame for abandon Cannot be maintained, modified, or repaired to meet these standards,  Does not produce a sufficient quantity of water for a beneficial useMeets the decomposition.	A WELI the groun onment) ( finition of

Page 20of 28

1013

1014 1015

961 962 e. If there is no valid water right or other required authorization for the use of the well. () 963 964 081. PERSONS AUTHORIZED TO ABANDON (DECOMMISSION) WELLS (RULE 81). 965 No person shall abandon a well in Idaho without first obtaining a driller's license or receiving a waiver of the license 966 requirement from the Director of the Department of Water Resources. Authorization is required from the Director 967 prior to the abandonment. Upon completion of abandonment, the person who conducted the abandonment shall 968 submit to the Department a report describing the abandonment. 969 970 PROCEDURES TO ABANDON (DECOMMISSION) WELLS (RULE 82). 082. 971 The Director may require well abandonment in accordance with the following: () 972 973 Cased Wells Without a Continuous Seal From Top of Intakes or Screen to the Surface. Use 01. 974 one (1) of the following methods: 975 976 The well casing shall be perforated every five (5) feet from the bottom of the casing to within five 977 (5) feet of the surface. Perforations made shall be adequate to allow the free flow of seal material into any voids 978 outside the well casing. There shall be at least four equally spaced perforations per section circumference. 979 Approved grout shall be injected with sufficient pressure to fill any voids outside of the casing. A sufficient volume 980 shall be used to completely fill the well. () 981 982 b. Fill the borehole with approved seal material as the casing is being removed. () 983 984 Cased Wells with Full-Depth Seals. If the well is cased and sealed from the top of the screen or 985 production zone to the land surface, the well shall be completely filled with approved seal material. 986 () 987 988 03. **Uncased Wells.** Uncased wells shall be completely filled with approved seal material. ()989 990 04. Placement of Seal Material. Approved seal material shall be placed in accordance of the 991 requirements of RULE 50. 992 () 993 994 **COMPLETION OF A WELL (RULE 83).** 995 The well is considered complete upon removal of the drill rig from the well site unless the well driller has provided 996 written notice to the Department that the well will be properly completed or abandoned within a specified period of 997 time. 998 999 PITLESS ADAPTERS. (RULE 84) 1000 Only Well Drillers or by persons supervised by a Well Drillers shall 1001 1002 () a. Install, repair, or replace pitless adapters in a well. 1003 Install only pitless adapters that are approved by Pitless Adapter Division of the Water Systems b. 1004 Council. 1005 c. Cut a hole with an opening large enough to allow seating of gaskets in the casing with a saw or cut 1006 a hole in the casing with a torch and using a cutting guide and weld the pitless adapter into place. 1007 () 1008 d. Ensure that the pitless adapter does not allow water to descend down the inside of the well casing. () 1009 e. Provide a contamination-proof entrance connection for electrical cable. () 1010 1011 Alternative Rule 84 1012

The installation of pitless adaptors will only be regulated by the Department if it is determined that the unit has been improperly installed or poses a threat to the resource.

Page 21of 28

1016			
1010	085. UNPR	RODUCTIVE (DRY HOLE) WELL. (RULE 85)	
1017		the quantity of water to meet a beneficial use cannot be obtained, the Well Driller shall abandon	tha
1018		nce with these rules.	
1019	well ill accolda	nce with these rules.	()
	007 000	(DECEDIZED)	
1021	086 090.	(RESERVED).	
1022	004	OCHURA (DAVER 04)	
1023		OSIVES. (RULE 91)	
1024	The use of expl	losives inside the well casing is prohibited unless specifically authorized by the Director.	()
1025			
1026		RAULIC FRACTURING. (RULE 92)	
1027		turing shall be performed only by well drillers licensed in Idaho. The pressure shall be transmi	
1028		string and shall not be transmitted to the well casing. The driller shall provide a report to the Dire	
1029		ng work which shall include well location, fracturing depth, fracturing pressures and other dat	
1030	requested by the	e Department.	()
1031			
1032		LING FLUIDS AND DRILLING ADDITIVES (RULE 93).	
1033		ler must use only potable water and shall use only drilling fluids or drilling additives that	
1034		For use in water wells, are National Sanitary Foundation (NSF), American Petroleum Institute (A	
1035		I approved; and do not contain a concentration of any substance in excess of Primary Drinking W	
1036		et forth in the current IDAPA 58.01.08, "Rules for Public Drinking Water Systems" in accorda	
1037		facturer's specifications. The Well Driller may seek approval from the Director to use spec	cific
1038	products on a c	ase-by-case basis.	()
1039			
1040		NFECTION AND DECONTAMINATION (RULE 94).	
1041	Every person s	hall clean and disinfect casing, tools, drilling equipment and materials, the pump, electrical wi	ring
1042		lrop pipe, and all other equipment each and every time immediately prior to said equipment be	eing
1043	inserted into the	e well.	()
1044			
1045	01.	<b>Duties of Well Drillers</b> . Well Drillers shall	
1046			
1047	a.	Clean and disinfect all casing, tools, drilling equipment, and materials prior to beginning	the
1048	drilling and cor	nstruction of every well.	()
1049			
1050	b.	Disinfect all pumping equipment and sand or gravel used in an artificial filter-packed well	and
1051	used to develop	and pump test the well.	()
1052	_		
1053	с.	Use only potable water for drilling and for mixing of sealing material and shall ensure that	the
1054	water has a chlo	orine residual of not more than one (1) part per million of free chlorine.	()
1055			
1056	02.	Disinfection Procedures. Every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and disinfect all equipment each and every person shall clean and every person shall clean and every person shall every person shall be added to the every pers	very
1057	time and immed	diately prior to the equipment being placed into the well.	Ö
1058			
1059	a.	Each person shall disinfect every well, the pump, electrical wiring and controls, drop pipe, and	d all
1060	other equipmen	at using a fifty (50) mg/L chlorine solution.	()
1061	1 1		~
1062	<b>b.</b>	Every person shall use all disinfectants in accordance with manufacturer's instructions.	()
1063			~
1064	c.	No person shall pour, dispose, dump, discharge, or inject any fluid, liquid, or chemical into a	well
1065		eed the Primary Drinking Water Standards, as set forth in the current IDAPA 58.01.08, "Rules	
1066		g Water Systems."	()
1067		<b>&gt;</b> · · · · · · · · · · · · · · · · · · ·	0
1068	d.	Every person shall maintain at all times on every well site adequate chlorine compounds, to	aloc
1069		to disinfect the well, the pump, electrical wiring and controls, drop pipe, and all other equipment	
- 00/	and equipment	and well, and pamp, electrical willing and controls, alop pipe, and all other equipment	

accordance with the following table.

1070

	Chlorine compound red	quired to dose 100-ft.	of water-filled well at 5	0 mg/L
Casing Diameter in	Volume of water in casing per 100 ft. of water depth gallons	Amount of Chemical Compound needed for each 100 ft. of water		
		Calcium Hypochlorite1	Sodium Hypochlorite <sup>2</sup> (12 trade percent)	Liquid Chlorine3 (100 percent available
		(65% available Cl <sub>2</sub> )		Cl <sub>2)</sub> pounds
4	65.28	0.7 oz	3.5 oz	0.03
6	146.2	1.5 oz	7.8 oz	0.06
8	261.1	2.7 oz	13.9 oz	0.11
10	408.0	4.2 oz	1.4 pt	0.17
12	587.5	6.0 oz	2.0 pt	0.25
16	1044.0	10.7 oz	3.5 pt	0.44
20	1632.0	1 lb 1oz	0.7 gal	0.68
24	2350.0	1 lb 8 oz	1.0 gal	0.98
30	3672.0	2 lbs 6 oz	1.5 gal	1.53
36	5287.0	3 lbs 6 oz	2.2 gal	2.21
48	9400.0	6 lbs 1 oz	3.9 gal	3.92
60	14690.0	9 lbs 7 oz	6.1 gal	6.13

#### Footnotes:

()

#### 095. WELL SCREENS AND INTAKES (RULE 95).

The Well Driller shall construct every well to prevent the continued production of sand or other fine sediments. It may be necessary to install well screens, perforated intakes, and/or filter pack(s) to meet this requirement. The maximum sand content produced shall not exceed 15ppm. Wells used in connection with a public water system may have more stringent requirements.

#### 096. WELL DEVELOPMENT AND TESTING (RULE 96).

The Well Driller shall develop every new well to maximize the yield. The Well Driller shall determine the static water level, pumping water level, and the production rate of every well. The production rate shall be determined by a test of at least one (1) hour in duration. This information shall be documented on the Well Driller's report.

()

#### 098. CLOSED LOOP HEAT EXCHANGE WELLS (RULE 98).

The Well Driller shall construct closed loop heat exchange wells in accordance with the intent of these rules and to prevent waste, contamination and/or aquifer commingling. The Well Driller is not required to install casing in such wells. ()

- **01. Installation of Closed Loop Wells**. When constructing a closed loop heat exchange well, the Well Driller shall:
- **a.** Construct each borehole a minimum of 4-inches larger than the combined diameter of the circulating pipes to allow the placement of approved seal material. Approved grout material shall be pumped from the bottom of the borehole to land surface.

()

<sup>&</sup>lt;sup>1</sup>The quantity of Calcium Hypochlorite is based on 65 percent available chlorine by dry weight.

<sup>&</sup>lt;sup>2</sup>The quantity of Sodium Hypochlorite is based on 12-trade-percent available chlorine by US liquid measure.

<sup>(</sup>Trade percent is a term used by chlorine manufacturers. Trade percent x 10 = grams of available chlorine in 1 L of solution.)

<sup>&</sup>lt;sup>3</sup>Quantity of liquid chlorine is based on 100 percent available chlorine by weight.

	Page 23of 28		
1103 1104 1105	<b>b.</b> classifications P	Install fluid-tight circulating pipe composed of polyethylene, grade p34, minimum cel 355434C or PE 345434C conforming to ASTM Standard 3350;	ll ()
1106 1107	<b>c.</b> D2683; ()	Join pipe using the socket or butt heat fusion technique referenced in ASTM Standards D3261 or	r
1108 1109 1110	d.	Use only food grade potassium acetate or food grade propylene glycol fas circulating fluid; and	
1111 1111 1112 1113	<b>e.</b> the designed sys	Pressure test the system before installation of the grout seal at no less than twice (two (2) times tem operating pressure.	(s) ()
1113 1114 1115	f.	If a pressure loss is detected, the circulating pipe shall be replaced.	)
1116 1117	099 200.	(RESERVED).	
1117 1118 1119 1120	201. CONS' BONDING (RU	TRUCTION OF LOW TEMPERATURE GEOTHERMAL RESOURCE WELLS ANI ILE 201).	)
1120 1121 1122 1123 1124 1125 1126 1127	qualified under constructed in s temperature. Th	<b>General.</b> Drillers constructing low temperature geothermal resource wells (bottom hole than eighty-five (85) Degrees F and less than two hundred twelve (212) Degrees F) shall be the Well Driller Licensing Rules. All low temperature geothermal resource wells shall be uch a manner that the resource will be protected from waste due to lost artesian pressure and eowner or well driller is required to provide bottom hole temperature data, but the Director may etermination of bottom hole temperature, based upon information available to him.	e e d
1127 1128 1129 1130 1131	a. low temperature ()	All standards and guidelines for construction and abandonment of cold water wells shall apply to geothermal resource wells except as modified by Rule Subsections 030.03, 030.04, and 030.06.	О
1131 1132 1133 1134 1135		A drilling prospectus shall be submitted to and approved by the Director prior to the construction epening or abandonment of any low temperature geothermal resource well. The well owner and the esponsible for the prospectus and subsequent well construction.	
1136 1137 1138 1139 1140 1141 1142	five thousand deconstructing, medical Director within	Well Owner Bonding. The owner of any low temperature geothermal resource well shall file ash bond as required by Section 42-233, Idaho Code, with the Director in an amount not less than ollars (\$5,000) nor more than twenty thousand dollars (\$20,000) payable to the Director prior to diffying or deepening the well after July 1, 1987. The bond amount shall be determined by the following guidelines. The bond shall be kept in force for one (1) year following completion or released in writing by the Director, whichever occurs first.	n o e
1143 1144 1145 1146		Any well less than three-hundred (300) feet deep with a bottom hole temperature of less than on (120) Degrees F and a shut-in pressure of less than ten (10) pounds per square inch gage (psig) a l maintain a bond of five thousand dollars (\$5,000).	
1147 1148 1149 1150	*	The owner of any well three hundred (300) feet to one thousand (1,000) feet deep with a bottom of less than one hundred fifty (150) Degrees F and a shut-in pressure of less than fifty (50) psig at a maintain a bond of ten thousand dollars (\$10,000).	
1151 1152	<b>c.</b> 030.02.a. and 03	The owner of any low temperature geothermal resource well not covered by Rules Subsection 0.02.b. shall maintain a bond of twenty thousand dollars (\$20,000).	s )
1153 1154 1155 1156	d. construction or o	The Director may decrease or increase the bonds required if it is shown to his satisfaction that we ther conditions merit an increase or decrease.	11
1150 1157 1158	e. right permits or	The bond requirements of Section 42-233, Idaho Code, are applicable to wells authorized by wate licenses having a priority date earlier than July 1, 1987, if the well authorized by the permit of	

Page 24of 28

license was not constructed prior to July 1, 1987 or if an existing well constructed within the terms of the permit or license is modified, deepened or enlarged on or after July 1, 1987.

**03.** Casing. Low temperature geothermal resource wells shall be protected from cooling by preventing intermingling with cold water aquifers and from loss of pressure by preventing flow into zones of lower pressure.

a. Casing which meets or exceeds the minimum specifications for permanent steel casing of Rule Subsection 035.02 shall be installed in every well. The Director may require a more rigid standard for collapse and burst strength as depths or pressures may dictate. Every low temperature geothermal resource well which flows at land surface shall have a minimum of forty (40) feet of conductor pipe set and cemented its entire length. ()

**b.** Casing shall be installed from twelve (12) inches above land surface into the overlying confining strata of the thermal aquifer. The casing schedule may consist of several different casing strings (i.e. conductor pipe, surface casing, intermediate casing, production pipe) which may all extend to land surface or may be overlapped and sealed or packed to prevent fluid migration out of the casing at any depth.

i. Low temperature geothermal resource wells less than one thousand (1,000) feet deep and which encounter a shut-in pressure of less than fifty (50) psig at land surface shall have two (2) strings of casing set and cemented to land surface. Conductor pipe shall be a minimum of forty (40) feet in length or ten percent (10%) of the total depth of the well whichever is greater. Surface casing shall extend into the confining stratum overlying the aquifer. ()

ii. Low temperature geothermal resource wells one thousand (1,000) feet or more in depth or which will likely encounter a shut-in pressure of fifty (50) psig or more at land surface require prior approval of the drilling plan by the Director and shall have three (3) strings of casing cemented their total length to land surface. Conductor pipe shall be a minimum length of forty (40) feet. Surface casing shall be a minimum of two hundred (200) feet in length or ten percent (10%) of the total depth of the well, whichever is greater. Intermediate casing shall extend into the confining stratum overlying the aquifer.

**c.** Rule Subsection 030.13.b. may be waived if it can be demonstrated to the Director through the lithology, electrical logs, geophysical logs, injectivity tests or other data that formations encountered below the last casing string set, will neither accept nor yield fluids at anticipated pressure to the borehole.

**d.** A nominal borehole size of two (2) inches in diameter larger than the Outside Diameter (O.D.) of the casing or casing coupler (whichever is larger) shall be drilled. All casing designations shall be by O.D. and wall thickness and shall be shown to meet a given specification of the American Petroleum Institute, the American Society for Testing and Materials, the American Water Works Association or the American National Standards Institute. The last string of casing set during drilling operations shall, at the Director's option, be flanged and capable of mounting a valve or blow out prevention equipment to control flows at the surface before drilling resumes.()

**O4. Sealing of Casing.** All casing shall be sealed its entire length with cement or a cement grout mixture unless waived by the Director. The seal material shall be placed from the bottom of the casing to land surface either through the casing or tubing or by use of a tremie pipe. The cement or cement grout shall be undisturbed for a minimum of twenty-four (24) hours or as needed to allow adequate curing.

a. A caliper log may be run for determining the volume of cement to be placed with an additional twenty-five (25%) percent on site ready for mixing. If a caliper log is not run, an additional one hundred (100%) percent of the calculated volume of cement shall be on site ready for placement.

**b.** If there is no return of cement or cement grout at the surface after circulating all of the cement mixture on site, the Department will determine whether remedial work should be done to insure no migration of fluids around the well bore.

Page 25of 28

1265

1266

1267

1268 1269

	Fage 2301 2	20
1214 1215 1216	c. manufacturer	The use of additives such as bentonite, accelerators, retarders, lost circulation material shall follows specifications.
1217	05.	Blow Out Prevention Equipment. The Director may require the installation of gate valves o
1218		out prevention equipment to prevent the uncontrolled blow out of drilling mud and geothermal fluid.
1219		out prevention equipment to prevent the uncontrolled blow out of drining filled and geothermal field.
1220	()	
1221 1222	06.	<b>Repair of Wells</b> . The well driller shall submit a drilling prospectus to the Director for review and r to the repair or modification of a low temperature geothermal resource well.
1223	approvar prio	to the repair of inodification of a low temperature geometrical resource wen.
1224	07.	Abandoning of Wells. Proper abandonment of any low temperature geothermal resource wel
1225	requires the fo	
1226	requires the re	ollowing:
1227		All coment place shall be pumped into the hole through drill pine or tubing
1227	<b>a.</b> (S	All cement plugs shall be pumped into the hole through drill pipe or tubing.
	(See	Figure 5, APPENDIX E, (located at the end of this chapter).
1229	•	A11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1230	<b>b.</b>	All open annuli shall be completely filled with cement.
1231		
1232	с.	A cement plug at least one hundred (100) feet in vertical depth shall be placed straddling (fifty
1233		we and fifty (50) feet below) the zone where the casing or well bore meets the upper boundary of each
1234	ground water	aquifer. (
1235		
1236	d.	A minimum of one hundred (100) feet of cement shall be placed straddling each drive shoe o
1237	guide shoe on	all casing including the bottom of the conductor pipe. (
1238		
1239	e.	A surface plug of either cement grout or concrete shall be placed from at least fifty (50) feet below
1240	the top of the	casing to the top of the casing. (
1241		
1242	f.	A cement plug shall extend at least fifty (50) feet above and fifty (50) feet below the top of any
1243	liner installed	in the well. The Director may waive this rule upon a showing of good cause.
1244		
1245	g.	Other abandonment procedures may be approved by the Director if the owner or operator can
1246		that the low temperature geothermal resource, ground waters, and other natural resources will be
1247	protected.	()
1248	protection.	V
1249	h.	Approval for abandonment of any low temperature geothermal well must be in writing by the
1250		to the beginning of any abandonment procedures.
1251	Director prior	to the beginning of any abandonment procedures.
1251	202 310.	(RESERVED).
1253	202 310.	(RESERVED).
1253	311. HEA	AT THE CTANDADDS EAD DIDLIC WATED SUDDITES (DITE 211)
1254		ALTH STANDARDS FOR PUBLIC WATER SUPPLIES (RULE 311).
1255		ler Construction of Cold Water Wells, the Well Driller is responsible for compliance with separation
		ired by this rule, however compliance with these required separation distances does not exempt the
1257		complying with any other separation distances and/or health standards has established by othe
1258	authorized reg	gulatory bodies, e.g. District Health Department, Idaho Department of Environmental Quality, etc". (
1259	242 25-	CVALL COMPANDA DO CONCOMPANOMANA COMPANA COMPA
1260		CIAL STANDARDS FOR CONSTRUCTION OF WELLS WHEN MINERALIZED OF
1261		NATED WATER IS ENCOUNTERED (RULE 312).
1262		construction of a well, mineralized or contaminated water is encountered, the Well Driller shall take
1263		te steps necessary to prevent the poor quality waters from entering the well or moving up or down the
1264	anniilan anaaa	amound the well essing. The method applicand to ease out this water shall be determined by the Wal

annular space around the well casing. The method employed to case out this water shall be determined by the Well Driller, provided the minimum standards are met. The Well Driller will take special precautions to prevent water of inferior quality from moving vertically in the filter pack in a filter-pack well. All actions taken will be clearly documented on the Well Driller's report.

DISTANCES FROM CONTAMINATION SOURCES (RULE 313). 313.

## Working DRAFT for <u>December 1, 2006</u>Nov 3-Meeting Page 26of 28

1271 establishe 1272 Quality ru	ed by thules, set	shall install every well in compliance with minimum setback distances from contamination sources are appropriate District Health Department and set forth in Idaho Department of Environmental forth in IDAPA 58.01.03, "Individual/Subsurface Sewage Disposal Rules" and set forth in IDAPA for Public Water Systems."
1275 314.		RS RESPONSIBILITIES FOR WELL MAINTENANCE (RULE 314). mplete, the well owner shall: ()
1278	01.	Maintenance. The well owner shall not allow modification to wells under their control without covered by an IDWR valid permit ()
1280	ocing c	()
1281 (1282 well; (	<b>02.</b> ()	New Construction. Prevent construction of a building or structure closer than ten (10) ft. from the
	03.	<b>Septic Tank Drainfields</b> . Prohibit construction or installation of septic tank drainfields and areas
	d for rep	placement drainfields placed closer than one hundred (100) ft. from the well; ()
1007	a.	Ensure that septic tanks are installed greater than fifty (50) ft. from the well; and ()
	<b>b.</b>	Ensure that septic tanks into which more than two thousand five hundred (2,500) gallons per day (gpd) of sewage are discharged are installed greater than three hundred (300) ft. from the well. ()
	04.	Unusable Wells. The Well Owner shall abandon an unusable well in accordance with these rules
		s unless the Well Owner demonstrates that further modifications, development, or repair will cause
		ger be unusable.
1296 <b>315 32</b> 1297	20.	(RESERVED).
	AREAS	OF DRILLING CONCERN (RULE 321).
	01.	General. ()
1302	a.	The Director may designate an "area of drilling concern" to protect public health, or to prevent
		nination of ground and/or surface water because of factors such as aquifer pressure, vertical depth
1304 to the aqu 1305	iifer, wa	arm or hot ground water, or contaminated ground or surface waters. ()
1306 I	<b>b.</b>	The designation of an area of drilling concern does not supersede or preclude designation of part
		as a Critical Ground Water Area (Section 42-233a, Idaho Code), Ground Water Management Area
	12-233b	, Idaho Code), or Geothermal Resource Area (Sections 42-4002 and 42-4003, Idaho Code). ()
1309		
1310	C <b>.</b>	The designation of an area of drilling concern can include certain aquifers or portions thereof
		others. The area of drilling concern may include low temperature geothermal resources while not
1312 including	the shal	llower cold ground water systems. ()
1313		
1314 ( 1315	02.	Bond Requirement. ()
1216	a.	The minimum bond to be filed by the well driller with the Director for the construction or
1317 modificat	ion of a	ny well in an area of drilling concern shall be ten thousand dollars (\$10,000) unless it can be shown
1318 to the sati 1319	istaction	of the Director that a smaller bond is sufficient. ()
	h	The Director may determine on a cose by cose besig if a larger hand is required best and in
1320 – I 1321 – estimated	b. cost to	The Director may determine on a case-by-case basis if a larger bond is required based on the repair, complete or properly abandon a well. ()
estimated estimated	COST IO	repair, complete or properly abandon a well. ()
1323 1324	03.	Additional Requirements. ()

Working DRAFT for December 1, 2006Nov 3-Meeting Page 27of 28 1325 A driller shall demonstrate to the satisfaction of the Director that he has the experience and a. 1326 knowledge to adequately construct or abandon a well which encounters warm water or pressurized aquifers. 1327 1328 b. A driller shall demonstrate to the satisfaction of the Director that he has, or has immediate access 1329 to, specialized equipment or resources needed to adequately construct or abandon a well. 1330 1331 322. -- 324. (RESERVED). 1332 1333 325. DRILLING PERMIT REQUIREMENTS (RULE 325). 1334 1335 01. General Provisions. 1336 1337 The owner of a well to be constructed, drilled, deepened or enlarged on or after July 1, 1987 shall a. 1338 obtain a drilling permit from the Director prior to construction or drilling of the well. 1339 1340 The owner of a well under construction prior to July 1, 1987, for which the drilling equipment is at 1341 the site and construction is ongoing, shall not be required to obtain a drilling permit, provided that construction of 1342 the well was complete by August 1, 1987. The Director may extend the date for good cause. 1343 1344 The Director may issue a drilling permit to the owner of a proposed well, to the driller employed 1345 to construct the well, or to the owner's representative. 1346 1347 Drilling permits will not be issued for construction of a well which requires another separate 1348 approval from the department, such as a water right permit, transfer, amendment or injection well permit, until the 1349 other separate approval has been given by the department. The Director may grant a waiver if he determines that the 1350 public interest will be served by an expedited approval. 1351 1352 The Director may give verbal approval to a well driller for the construction of certain wells such 1353 as single family domestic wells and stockwater wells which do not require other separate approvals from the 1354 department, provided the driller files the drilling permit and appropriate fee with the Director within thirty (30) days 1355 of the verbal approval. 1356 1357 f. The Director may give verbal approval to a well driller for the construction of a well for which 1358 other permitting requirements have been met, provided the driller files the drilling permit and appropriate fee with 1359 the Director within thirty (30) days of the verbal approval. 1360 1361 The Director will not give a verbal approval for well construction or drilling in a designated area g. 1362 of drilling concern. 1363 1364 Failure of the driller to submit a completed drilling permit and fee within the thirty (30) day period 1365 after receiving verbal approval to construct a well is cause for the Director to seek the penalties provided by statute 1366 and by these rules. 1367 1368 After the effective date of these rules, a well driller shall not construct, drill or modify any well 1369 until a drilling permit has been issued or verbal approval is given. 1370 1371 02. Effect of a Permit. 1372 1373 A drilling permit authorizes the construction, drilling or modification of a well in compliance with 1374 the conditions of approval on the permit.

A drilling permit does not constitute a water right permit, injection well permit or other authorization which may be required from the department prior to actual well construction and does not authorize use of water from the well or discharge of fluids into the well. () ()

()

()

()

()

()

()

()

()

A drilling permit may not be assigned from one (1) owner to another. c.

1375 1376

1377

1378

## Working DRAFT for <a href="December 1">December 1</a>, <a href="2006">2006</a> <a href="Nov 3">Nov 3</a> <a href="Movember 1">Meeting</a>

Page 28of 28

	U	
1381	1	
1382	d.	A drilling permit authorizes the construction of one (1) well (except group monitoring well
1383		ts) unless other holes started under terms of the permit are properly abandoned and the department is
1384	advised of the	abandonment. ()
1385		
1386	03.	Exclusions. ()
1387		
1388	a.	Geotechnical borings for the purpose of mineral exploration or for the design of foundations for
1389	structures or f	or the design of dams and embankments are not subject to the drilling permit requirement but shall be
1390		nd abandoned in accordance with minimum well construction standards.
1391		V
1392	b.	The Director may require abandonment of wells constructed pursuant to Rule 045.03.a. if the
1393		rmined to cause waste or contamination of the ground water. ()
1394	Wells are deter	()
1395	c.	Wells constructed pursuant to Rule Subsection 045.03.a. shall be abandoned in compliance with
1396		when use of the wells cease. ()
1397	adopted rates	when use of the wens cease.
1398	04.	Fees. ()
1399	V <b>-1.</b>	rees.
1400		A drilling permit fee is not required for a well constructed and completed prior to July 1, 1987,
1400	a.	
	provided the v	well is not deepened or the dimensions of the well are not increased on or after July 1, 1987. ()
1402	1	
1403	<b>b.</b>	The drilling permit fee for construction of a well for a single family domestic use, stockwater use,
1404		at <u>exchange pump</u> -injection associated with a single family domestic use or monitoring use or for any
1405		e of diversion of four one hundredth (0.04) cubic feet per second or less and for the storage of four (4)
1406		year or less shall be ten (\$10) dollars. (See IDAPA 37.03.03, "Rules for Construction and Use of
1407	Injection Well	ls" for the description of class V(c) injection wells).
1408		
1409	c.	The Director may issue a blanket drilling permit for site specific monitoring programs prepared by
1410	a licensed eng	rineer or licensed geologist as provided in Section 42-235, Idaho Code, upon submittal of a fifty dollar
1411	(\$50) fee.	()
1412		
1413	d.	The drilling permit fee for well uses which are not included in Rules Subsections 045.04.b. and
1414	045.04.c. shal	l be one hundred dollars (\$100).
1415		· · · · · · · · · · · · · · · · · · ·
1416	e.	The difference between the drilling permit fee required by Rules Subsections 045.04.b. through
1417		applicable, shall be paid when an existing well constructed on or after July 1, 1987, for which the lower
1418		t fee was paid, is authorized by the Department for a use which would require the larger drilling permit
1419		applies even though the existing well is not deepened or the dimensions of the well are not increased.
1420	()	applies even though the existing wen is not deepened of the dimensions of the wen are not increased.
1421	()	
1422	f.	A drilling permit fee will not be required for a new or additional use from an existing well
1423		n or after July 1, 1987, when the drilling permit fee for the new or additional use is the same amount
1424		
	which was pre	eviously paid for construction of the well in connection with the existing use. ()
1425	226 000	(DECEDIALD)
1426	326 998.	(RESERVED).
1427	000 555	AT THE CORN E OOO)
1428		ALTIES (RULE 999).
1429		ning or controlling a well that allows waste or contamination of the state's ground water resources or
1430		not to meet the construction standards provided in these rules, is subject to the civil penalties as
1431		tatute. A driller who violates the foregoing provisions of these minimum well construction standards
1432	rules is subjec	et to the penalty provisions specified in Sections 42-238 and 42-238b, Idaho Code. ()